

**“WINE COUNTRY” Reversible Chef’s Apron**

By Marinda Stewart




<u>Fabric:</u>	<u>Yardage:</u>	<u>Cutting:</u>
3302 – Chardonnay	1 yard	(1)apron (see directions) – 34” square
3302 – Black	1 yard	(1)apron (see directions) - 34” square
3306 – Burgundy	½ yard	130” binding (straight grain) (2) 36” ties (2) 24” ties
3300 – Black	3/8 yard/1 panel	(2) 8 ½”h x 7 ½”w panels

Also needed: threads to match, scissors, straight pins, acrylic ruler, rotary cutter, mat.

Directions:

- Place one 3302 – Chardonnay 34” square right sides together with one 3302 – Black 34” squares. Fold in half lengthwise to measure 34” x 17”. Measure 5” in from the fold at one edge. Mark. Measure 24” up on raw edges from the opposite end. Mark. Free hand draws a curve between the two marks to make an armhole. Cut through all layers. Set aside.



- To Make one pocket cut one 8 ½”h x 7 ½”w smaller panel from the large panel. Place WRONG sides together on an 8 ½” x 7 ½” piece of 3302. Bind all edges with 3306 binding. Make two different pockets. Sew one pocket to each apron piece 2” down from the top.
- Place aprons right sides together. Stitch armholes using ½” seam allowance. Clip curves. Turn to the right side. Press seams.
- Bind top, sides and bottom of the apron with 3306.
- From remaining 3306 cut (2) 1 ½” x36” and (2)1 ½” x 24” ties. Sew with right sides together. Turn. Press. Sew 36” pieces to each side of the apron. Sew the 24” ties to the top of the apron to finish.

“WINE COUNTRY” Table Runner

By Marinda Stewart



**Fabric:**

3303 – Black

3301 – Black \*

3306 – Black \*\*

3307 – Black \*

**Yardage:**

3/8 yard/ 1 complete panel

½ yard

1/3 yard

¾ yard

**Cutting:**

(2)11 ½”h x 13 ½”w panels

(2)13 ½”w x 9 ½”h

(2) 13 ½”w x 5 ½”h

(1)9” circle

115” binding - straight grain

(2)15”w x 27”h (backing)


**Also needed:** batting 15” x 52”, 7/8 yard, ¾” trim – flat, threads to match, scissors, straight pins, acrylic ruler, rotary cutter, mat.

\* one – way print

\*\* pieced as needed for length

**Directions:**

1. Sew the two 3301 – 13 ½” x 9 ½” pieces together with the print facing in opposite directions. Sew one 330 panel to each end. Finish with the remaining 3301 – 5 ½” pieces.
2. Fold the runner in half lengthwise. Trim each end from the fold to the bottom edge of the printed panel to make a point.



3. Machine topstitch the 9” – 3306 circle over the center seam.
4. For the backing sew the two 3303 – 15” x 27” panels together with the print facing in opposite directions to make a 15” x 53 ½” piece.
5. Layer backing, batting and runner. Baste.
6. Quilt as desired.
7. Bind with 3306 piecing as needed for length.
8. Topstitch trim over raw edges of the 9” circle to finish.

**“WINE COUNTRY” Wine Tote**

By Marinda Stewart



**Fabric:**

3304 – Burgundy

3302 – Burgundy

3303 – Black

**Yardage:**

5/8 yard

5/8 yard

3/8 yard/ 1 complete panel

**Cutting:**

(1)20" x 38 ½", (2)2" x 20"


(1)20" x 38 ½", (2)2" x 20"

(1)13 ½" x 11 ¼" panel

Also needed: lining pc 13 ½" x 11 ¼", fusible interfacing, (1)pc foam core, 3 ¾" x 14 ½", threads to match, scissors, straight pins, rotary cutter, acrylic ruler, mat.

**Directions:**

1. To prepare the pocket place the 3303 – 13 ½" x 11 ¼" panel right sides together with the lining,. Stitch around all sides using ¼" seam allowance. Leave a small opening for turning. Clip corners. Turn. Press. Slip stitch opening closed.
2. Following manufacturer's directions iron fusible interfacing to the wrong side of 3304 – 20" x 38 ½" piece.
3. Center the large pocket on one side of the bag. Topstitch in place. Divide pocket in the center and topstitch to make two pockets.
4. Fold the bag in half with right sides together to measure 20" x 19 ¼". Sew side seams using ½" seam allowance. Press seams open. Fold bottom edge to a point to measure 4" on each side. Stitch through all layers to make the bottom of the tote. Turn. {insert image}. Turn to the right side. Repeat for the lining without the interfacing.



5. Slip the lining into the tote bag WRONG sides together. Topstitch 1/8" from the edge to secure. Turn under ¼" press. Fold hem 1" deep. Topstitch in place.
6. For handles place one 3304 and one 3302 – 2" x 20" piece right sides together. Sew each side with ¼" seam allowance. Make two. Turn to the right side. Press. Fold under ¼" raw edge on each handle. Topstitch one handle to each side of the tote to finish.